## Normal development in children

It is interesting to compare the growth and development of your child with the age at which the average child reaches a specific stage, called a milestone. The following guidelines represent an average age that these milestones are usually reached.

## **Interesting facts**

Vision is present at birth and matures gradually to adult vision at about 12 months.

Hearing is present at birth; if not, the first 12 months are critical to correct it.

## Normal development in children

Milestone	Age
Lifts chin up	4 weeks
Notices sudden constant sounds (e.g. vacuum cleaner)	4 to 5 weeks
Social smile	6 weeks
Smiles readily	2 months
Vocalises when talked to	2 months
Follows moving person with eyes	2 months
Laughs	3 months
Coos	3 months
Recognises mother	3 months
Responds to loud noise	3 months
Squeals in delight	3 months
Grasps and plays with rattle	3 to 4 months
Turns to voice	3 to 4 months
Lifts head	3 to 4 months
Rolls over (prone to supine)	4 months
Sits with support	4 to 6 months
Rolls (supine to prone)	5 months
Reaches and grasps	5 to 6 months
Transfers objects from hand to hand	5 to 8 months
Turns towards soft sound	6 months
No head lag when pulled up to sit	6 months
Turns instantly to voices across room	6 to 7 months
Feeds self biscuit/rusk	6 to 8 months
Laughs, squeals and chuckles	6 to 8 months
Sits without support	6 to 9 months
Babbles	6 to 9 months
Stands holding on	6 to 10 months
Crawls	7 to 9 months
Plays'peek-a-boo'	8 to 9 months
Says mama/dada (inappropriate)	8 to 9 months
Anxious with strangers	8 to 9 months
Waves goodbye	8 to 12 months
Pulls up to stand Understands 'no'	9 to 10 months 9 to 10 months
Cruises	10 to 10 months
	10 to 11 months
Finger feeds Walks alone or with one hand held	10 to 12 months
Says mama/dada (appropriate)	10 to 18 months
First word	11 to 12 months
Follows one-step command	12 to 14 months
Understands several words	12 to 14 months
onderstands several words	12 10 13 1110111113

Speaks single words Points to parts of the body Helps with dressing Pulls off socks Climbs stairs Combines two words Uses a spoon Builds tower of 2 blocks Points to animal pictures Uses a fork Scribbles spontaneously Builds tower of 4 blocks Kicks ball forward Pretend play Runs well Buttons up Speech all understandable Walks up stairs: alternate feet Names one colour Unbuttons Rides tricycle Bowel control Bladder control Names four colours Gives first and last names Draws person with three parts Ties shoelaces	12 to 15 months 14 to 24 months 14 to 24 months 15 to 20 months 15 to 20 months 15 to 24 months 15 to 24 months 16 to 18 months 20 to 24 months 21 to 24 months 24 to 26 months 24 to 26 months 24 to 26 months 24 to 26 months 24 to 30 months 24 to 30 months 30 months 30 months 30 months 30 months 30 months 21/2 to 3 years 2 to 4 years 2 to 4 years 4 years 4 years 5 years
Gives first and last names	4 years
•	4 years 5 years 5 years 5 years 5 years 5 years

A good sign of healthy development is a child who is alert, is interested in objects, relates well to others and is explorative. If your child does not appear to reach these milestones at the listed age there may be no reason to be unduly concerned, as every individual is different and there is a large variation in reaching milestones. If you have any concerns speak to your doctor or infant welfare nurse.



The normal child can sit without support from 6 to 9 months (average 8 months).